according to the Globally Harmonized System

Stellisept med

Version Revision Date: SDS Number: Date of last issue: 24.03.2023 1.9 07.03.2024 R11507 Date of first issue: 19.08.2014

1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60

Supplier

Responsible Department : Scientific Affairs

sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen

24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use

For further information, refer to the product technical data sheet.

Restrictions on use : Restricted to professional users.

Cosmetics

2. HAZARDS IDENTIFICATION

GHS Classification

Not a dangerous substance according to GHS.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
dexpanthenol	81-13-0	>= 1 - < 10
Didecyldimethylammonium chloride	7173-51-5	>= 1 - < 2,5

4. FIRST AID MEASURES

General advice : If you feel unwell, seek medical advice (show the label where possi-

ble).

In case of eye contact : Flush eyes with water as a precaution.

If swallowed : Do NOT induce vomiting.

R11507 1 / 8 International

according to the Globally Harmonized System

Stellisept med

Rinse mouth.

Most important symptoms and effects, both acute and delayed None known.

Notes to physician For specialist advice physicians should contact the Poisons Infor-

mation Service.

5. FIREFIGHTING MEASURES

Suitable extinguishing media In case of fire, use water/water spray/water jet/carbon diox-

ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Hazardous combustion products No hazardous combustion products are known

Special protective equipment for :

firefighters

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective : equipment and emergency pro-

cedures

Material can create slippery conditions.

Environmental precautions Should not be released into the environment.

Methods and materials for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece).

Flush with plenty of water.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with eyes.

Conditions for safe storage Store in original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally required.

Protective measures No special protective equipment required.

Handle in accordance with good industrial hygiene and safety prac-Hygiene measures

Keep away from food and drink.

9. PHYSICAL AND CHEMICAL PROPERTIES

liquid **Appearance**

Colour colourless

R11507 2/8 International

according to the Globally Harmonized System

Stellisept med

Odour : pleasant

pH : 5,5 - 6,5 (20 °C)

Melting point/range : not determined

Boiling point/boiling range : not determined

Flash point : Not applicable

Flammability (solid, gas) : not auto-flammable

Density : 1,013 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely miscible

Viscosity

Viscosity, dynamic : 350 - 1.000 mPa.s (20 °C)

Method: ISO 2555 Brookfield DVII+, RV2

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat

Strong sunlight for prolonged periods.

Incompatible materials : None.

Hazardous decomposition prod-

ucts

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

dexpanthenol (CAS: 81-13-0):

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

R11507 3 / 8 International

according to the Globally Harmonized System

Stellisept med

Acute dermal toxicity : LD50 Dermal (Rat): > 3.500 mg/kg

Didecyldimethylammonium chloride (CAS: 7173-51-5):

Acute oral toxicity : LD50 Oral (Rat): 238 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.342 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : human skin

Exposure time : 4 d

Result : No skin irritation

Components:

dexpanthenol (CAS: 81-13-0):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Didecyldimethylammonium chloride (CAS: 7173-51-5):

Species : Rabbit Exposure time : 3 min

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Method : in vitro eye irritation test

Result : No eye irritation

Components:

dexpanthenol (CAS: 81-13-0):

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

dexpanthenol (CAS: 81-13-0):

Species : Guinea pig

Result : Does not cause skin sensitisation.

R11507 4 / 8 International

according to the Globally Harmonized System

Stellisept med

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

No data available

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

No data available

Experience with human exposure

No data available

Neurological effects

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

dexpanthenol (CAS: 81-13-0):

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): > 1.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Didecyldimethylammonium chloride (CAS: 7173-51-5):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,19 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,062 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,026 mg/l

Exposure time: 72 h

according to the Globally Harmonized System

Stellisept med

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l

Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: 0,014 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Persistence and degradability

Components:

Didecyldimethylammonium chloride (CAS: 7173-51-5):

Biodegradability : Method: OECD Test Guideline 301B

Remarks: Readily biodegradable, according to appropriate OECD

test.

Bioaccumulative potential

Components:

$\label{lem:decyldimethylammonium} \textbf{Didecyldimethylammonium chloride (CAS: 7173-51-5):}$

Partition coefficient: n-

octanol/water

: log Pow: 2,8 (20 °C)

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

Waste codes should be assigned by the user, preferably in discus-

sion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

R11507 6 / 8 International

according to the Globally Harmonized System

Stellisept med

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Other international regulations

The components of this product are reported in the following inventories:

TSCA : For Cosmetic Use Only


16. OTHER INFORMATION

Revision Date : 07.03.2024

Date format : yyyy/mm/dd

Further information

NFPA:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration;

according to the Globally Harmonized System

Stellisept med

ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN