

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Version 3.15	Revision Date: 12.03.2024	SDS Number: R11849	Date of last issue: 30.05.2023 Date of first issue: 01.02.2017
-----------------	------------------------------	-----------------------	---

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer or supplier's details

Manufacturer	:	BODE Chemie GmbH Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60
Supplier	:	Paul Hartmann AG Paul-Hartmann-Str. 12 89522 Heidenheim Deutschland Tel.: +49 (0)7321 / 36 - 0
Responsible Department	:	Scientific Affairs sds@bode-chemie.de
Emergency telephone number	:	Poison Center Göttingen 24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use	:	In-door use medical device For further information, refer to the product technical data sheet.
Restrictions on use	:	Restricted to professional users.

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 1
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Germ cell mutagenicity	:	Category 2
Short-term (acute) aquatic hazard	:	Category 1
Carcinogenicity	:	Category 1B
Long-term (chronic) aquatic hazard	:	Category 2

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### GHS label elements

Hazard pictograms



Signal word

: Danger

Hazard statements

: H226 Flammable liquid and vapour.  
H302 + H332 Harmful if swallowed or if inhaled.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P280 Wear protective gloves/ eye protection/ face protection.  
P284 Wear respiratory protection.  
**Response:**  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Glutaral	111-30-8	>= 5 - < 10
Formaldehyde	50-00-0	>= 5 - < 10
(ethylenedioxy)dimethanol	3586-55-8	>= 3 - < 10
Propan-2-ol	67-63-0	>= 1 - < 10
Octan-1-ol, ethoxylated	27252-75-1	>= 3 - < 5
Tridecanol, branched, ethoxylated	69011-36-5	>= 3 - < 10
[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid	Not Assigned	>= 1 - < 2,5
Didecyltrimethylammonium chloride	7173-51-5	>= 1 - < 2,5
Alkyl (C12-18) dimethylbenzyl ammonium chloride	68391-01-5	>= 1 - < 2,5

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

(ADBAC (C12-18))		
N-(2-ethylhexyl)-3,5,5-trimethylhexanamide	1700656-13-8	$\geq 0,25 - < 1$

### 4. FIRST AID MEASURES

General advice	: Call a physician immediately.
If inhaled	: If breathed in, move person into fresh air.
In case of skin contact	: Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed	: Rinse mouth. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed or if inhaled. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer.
Notes to physician	: Keep under medical supervision for at least 48 hours. For specialist advice physicians should contact the Poisons Information Service.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Hazardous combustion products	: No hazardous combustion products are known
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure adequate ventilation. Wear respiratory protection.
Environmental precautions	: Should not be released into the environment.
Methods and materials for containment and cleaning up	: Clean-up methods - large spillage Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean-up methods - small spillage Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### 7. HANDLING AND STORAGE

- Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Avoid contact with skin and eyes.
- Conditions for safe storage : Store in original container.  
Keep tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glutaral	111-30-8	C	0,05 ppm	ACGIH
Formaldehyde	50-00-0	TWA	0,1 ppm	ACGIH
		STEL	0,3 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	TWA	0,1 ppm	ACGIH
		STEL	0,3 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

- Respiratory protection : Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).
- Filter type : Combined inorganic gas/vapour and organic vapour type
- Hand protection  
Nitrile rubber Material : Protective gloves complying with EN 374.  
Break through time : > 480 min  
Glove thickness : 0,1 mm  
Protective index : Class 6  
: Peha-soft nitrile guard
- Eye protection : Safety glasses with side-shields conforming to EN166
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Work uniform or laboratory coat.  
Remove and wash contaminated clothing before re-use.
- Protective measures : Ensure that eye flushing systems and safety showers are located

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
Keep away from food and drink.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : blue

Odour : stinging

pH : 4 (20 °C)

Boiling point/boiling range : 100 °C

Flash point : 46 °C  
Method: DIN 51755 Part 1

Flammability (solid, gas) : not auto-flammable

Vapour pressure : No data available

Density : 1,045 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : soluble

---

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat  
Strong sunlight for prolonged periods.

Incompatible materials : Amines  
Anionic surfactants

Hazardous decomposition products : No hazardous decomposition products are known.

Hazardous decomposition products : Formaldehyde (CAS: 50-00-0)

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Harmful if swallowed or if inhaled.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### **Product:**

- Acute oral toxicity : Acute toxicity estimate: 682,25 mg/kg  
Method: Calculation method
- Acute dermal toxicity : Acute toxicity estimate: 3.502 mg/kg  
Method: Calculation method

### **Components:**

#### **Glutaral (CAS: 111-30-8):**

- Acute oral toxicity : LD50 (Rat): 154 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, female): 0,28 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: Corrosive to the respiratory tract.
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

#### **Formaldehyde (CAS: 50-00-0):**

- Acute oral toxicity : Acute toxicity estimate: 640 mg/kg
- Acute inhalation toxicity : Acute toxicity estimate: 490 ppm  
Test atmosphere: gas
- Acute dermal toxicity : Acute toxicity estimate: 270 mg/kg

#### **(ethylenedioxy)dimethanol (CAS: 3586-55-8):**

- Acute oral toxicity : LD50 (Rat, female): 760 mg/kg
- Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

#### **Propan-2-ol (CAS: 67-63-0):**

- Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

#### **Octan-1-ol, ethoxylated (CAS: 27252-75-1):**

- Acute oral toxicity : LD50 Oral: > 2.000 mg/kg  
Method: Calculation method

#### **Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

- Acute oral toxicity : LD50 Oral (Rat): 2.000 mg/kg  
Method: OECD Test Guideline 401
- Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
Method: Expert judgement

#### **[[[2-hydroxyethyl]imino]bis(methylene)]bisphosphonic acid:**

- Acute oral toxicity : LD50 Oral (Rat): 250 mg/kg

#### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Acute oral toxicity : LD50 Oral (Rat): 238 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 3.342 mg/kg

### **Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):**

Acute oral toxicity : LD50 (Rat): 344 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 3.412 mg/kg

### **Skin corrosion/irritation**

Causes skin irritation.

#### **Product:**

Result : Skin irritation

Result : Irritating to mucous membranes

#### **Components:**

##### **Glutaral (CAS: 111-30-8):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive

##### **Formaldehyde (CAS: 50-00-0):**

Result : Causes burns.

##### **(ethylenedioxy)dimethanol (CAS: 3586-55-8):**

Result : Skin irritation

##### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : No skin irritation

##### **Octan-1-ol, ethoxylated (CAS: 27252-75-1):**

Result : Causes burns.

##### **Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Species : Rabbit  
Result : No skin irritation

##### **[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Causes burns.

##### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Species : Rabbit  
Exposure time : 3 min  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes or less of exposure

### **Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):**

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Species : Rabbit  
Result : Corrosive after 1 to 4 hours of exposure

### Serious eye damage/eye irritation

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Product:

Result : Risk of serious damage to eyes.

#### Components:

##### (ethylenedioxy)dimethanol (CAS: 3586-55-8):

Result : Risk of serious damage to eyes.

##### Propan-2-ol (CAS: 67-63-0):

Species : Rabbit  
Result : Eye irritation

##### Tridecanol, branched, ethoxylated (CAS: 69011-36-5):

Species : Rabbit  
Method : OECD Test Guideline 437  
Result : Risk of serious damage to eyes.

##### [[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

##### Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):

Species : Rabbit  
Result : Corrosive

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Product:

Remarks : May cause sensitisation by inhalation and skin contact.

#### Components:

##### Glutaral (CAS: 111-30-8):

Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1A.  
  
Result : May cause sensitisation by inhalation.

##### Formaldehyde (CAS: 50-00-0):

Result : The product is a skin sensitiser, sub-category 1A.



# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### Propan-2-ol (CAS: 67-63-0):

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### Tridecanol, branched, ethoxylated (CAS: 69011-36-5):

Test Type : Maximisation Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

### [[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.

### Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Components:

### Formaldehyde (CAS: 50-00-0):

Germ cell mutagenicity - Assessment : Suspected of inducing heritable mutations in the germ cells of humans.

### Propan-2-ol (CAS: 67-63-0):

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

### Carcinogenicity

May cause cancer.

#### Components:

### Formaldehyde (CAS: 50-00-0):

Carcinogenicity - Assessment : May cause cancer by inhalation.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

#### Components:

### Glutaral (CAS: 111-30-8):

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### Repeated dose toxicity

No data available

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

No data available

### Experience with human exposure

No data available

### Neurological effects

No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Glutaral (CAS: 111-30-8):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,1 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 ( Desmodesmus subspicatus (green algae)): 0,6 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201
- NOEC ( Desmodesmus subspicatus (green algae)): 0,025 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC: 1,6 mg/l  
Exposure time: 97 d  
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 1

#### **Formaldehyde (CAS: 50-00-0):**

- Toxicity to fish : LC50 (Fish): 6,18 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,8 mg/l  
Exposure time: 48 h

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Toxicity to algae/aquatic plants : EC50 ( algae): 5,67 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 6,4 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### **(ethylenedioxy)dimethanol (CAS: 3586-55-8):**

Toxicity to fish : LC50 (Fish): 71 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 28 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 4,62 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

### **Propan-2-ol (CAS: 67-63-0):**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.285 mg/l  
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 141 mg/l  
Exposure time: 16 d

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l  
Exposure time: 72 h

### **Octan-1-ol, ethoxylated (CAS: 27252-75-1):**

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 40 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ( algae): 14 mg/l  
Exposure time: 72 h

### **Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Desmodemus subspicatus (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:**

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

- Toxicity to fish : LC50 (Fish): 1.000 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (algae): 46 mg/l  
Exposure time: 72 h

### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,19 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,062 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,026 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l  
Exposure time: 34 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,014 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### **Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,515 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,016 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0,049 mg/l  
Exposure time: 72 h  
Test Type: Cell multiplication inhibition test  
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l  
Exposure time: 34 d  
Species: Leuciscus idus (Golden orfe)  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0042 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

M-Factor (Chronic aquatic toxicity) : 1

### **N-(2-ethylhexyl)-3,5,5-trimethylhexanamide (CAS: 1700656-13-8):**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1.000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,475 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,962 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Desmodesmus subspicatus (green algae)): 0,31 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### **Persistence and degradability**

#### **Components:**

#### **Glutaral (CAS: 111-30-8):**

Biodegradability : Method: OECD Test Guideline 301A  
Remarks: Readily biodegradable, according to appropriate OECD test.

Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand  
235 mg/g  
Incubation time: 5 d

Chemical Oxygen Demand (COD) : 1.385 mg/g

#### **Formaldehyde (CAS: 50-00-0):**

Biodegradability : Result: Readily biodegradable.

#### **(ethylenedioxy)dimethanol (CAS: 3586-55-8):**

Biodegradability : Result: Readily biodegradable.

#### **Propan-2-ol (CAS: 67-63-0):**

Biodegradability : Result: rapidly biodegradable

#### **Octan-1-ol, ethoxylated (CAS: 27252-75-1):**

Biodegradability : Result: Readily biodegradable.

#### **Tridecanol, branched, ethoxylated (CAS: 69011-36-5):**

Biodegradability : Result: Totally biodegradable

#### **[[[(2-hydroxyethyl)imino]bis(methylene)]bisphosphonic acid:**

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Biodegradability : Biodegradation: > 70 %  
Method: OECD Test Guideline 302B  
Remarks: Expected to be biodegradable

### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Biodegradability : Method: OECD Test Guideline 301B  
Remarks: Readily biodegradable, according to appropriate OECD test.

### **Alkyl (C12-18) dimethylbenzyl ammonium chloride (ADBAC (C12-18)) (CAS: 68391-01-5):**

Biodegradability : Method: OECD Test Guideline 301B  
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

### **Bioaccumulative potential**

#### **Components:**

#### **Formaldehyde (CAS: 50-00-0):**

Partition coefficient: n-octanol/water : log Pow: 0,35 (25 °C)

#### **Propan-2-ol (CAS: 67-63-0):**

Partition coefficient: n-octanol/water : log Pow: 0,05

#### **Didecyldimethylammonium chloride (CAS: 7173-51-5):**

Partition coefficient: n-octanol/water : log Pow: 2,8 (20 °C)

### **Mobility in soil**

#### **Components:**

#### **Propan-2-ol (CAS: 67-63-0):**

Distribution among environmental compartments : Remarks: Mobile in soils

### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : Empty remaining contents.  
Clean container with water.  
Store containers and offer for recycling of material when in accordance with the local regulations.

---

## 14. TRANSPORT INFORMATION

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### ADR

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(propan-2-ol, glutaral)  
Class : 3  
Packing group : III  
Labels : 3  
Hazard Identification Number : 30  
Tunnel restriction code : (D/E)  
Limited quantity (LQ) : 5,00 L  
Environmentally hazardous : yes

### UNRTDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(propan-2-ol, glutaral)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(propan-2-ol, glutaral)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(propan-2-ol, glutaral)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Limited quantity (LQ) : 5,00 L  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other international regulations

### The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

### 16. OTHER INFORMATION

Revision Date : 12.03.2024


Date format : yyyy/mm/dd

#### Safety datasheet sections which have been updated:

1. Identification of the substance/mixture and of the company/undertaking
9. Physical and chemical properties

#### Further information

##### NFPA:



##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
ACGIH / C : Ceiling limit

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of



# SAFETY DATA SHEET

according to the Globally Harmonized System

## Korsolex extra

Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN