

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

Version 1.0	Revision Date: 17.02.2026	SDS Number: R11927	Date of last issue: - Date of first issue: 17.02.2026
----------------	------------------------------	-----------------------	--

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH  
Melanchthonstraße 27  
22525 Hamburg (Germany)  
Tel.: +49 (0)40 / 54 00 60

Supplier :

Responsible Department : Scientific Affairs  
sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen  
24h-Phone +49 (0)551 / 1 92 40

#### Recommended use of the chemical and restrictions on use

Recommended use : In-door use  
Human hygiene biocidal products  
Hand Sanitizer  
For further information, refer to the product technical data sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity -  
single exposure : Category 3

Long-term (chronic) aquatic haz-  
ard : Category 3

#### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H226 Flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

other ignition sources. No smoking.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Disposal:

P501 Dispose of contents/container in accordance with local and national regulations.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture  
Chemical nature : Alcoholic solution

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 - < 50
Propan-1-ol	71-23-8	>= 30 - < 50
tetradecanol	112-72-1	>= 0,25 - < 1

## 4. FIRST AID MEASURES

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Wash off with plenty of water.  
Call a physician if irritation develops or persists.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.

If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause drowsiness or dizziness.

Notes to physician : For specialist advice physicians should contact the Poisons Information Service.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Remove all sources of ignition.
- Environmental precautions : Avoid release to the environment.
- Methods and materials for containment and cleaning up : Clean-up methods - small spillage  
Wipe up with absorbent material (e.g. cloth, fleece).  
Clean-up methods - large spillage  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Vapours may form explosive mixtures with air.  
Vapours are heavier than air and may spread along floors.
- Advice on safe handling : Avoid contact with eyes.
- Conditions for safe storage : Store in original container.  
Keep tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
- Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

Safety glasses with side-shields conforming to EN166

Hygiene measures : Keep away from food and drink.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : alcohol-like

pH : 7,73

Boiling point/boiling range : 83 °C

Flash point : 24 °C  
Method: ISO 1516

Lower explosion limit / Lower flammability limit : Lower explosion limit  
70 g/m<sup>3</sup>  
( 20 °C) Method: DIN 51649

Vapour pressure : 6 kPa (50 °C)

Density : 0,85 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Water solubility : completely miscible

Auto-ignition temperature : 420 °C

Viscosity  
Viscosity, kinematic : 2,76 mm<sup>2</sup>/s ( 20 °C)  
Method: OECD Test Guideline 114

Surface tension : 23,3 mN/m, 20 °C, OECD Test Guideline 115

---

### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat  
Strong sunlight for prolonged periods.

Incompatible materials : Strong oxidizing agents  
Strong acids

Hazardous decomposition products : No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 Oral(Rat): 13.300 mg/kg

Acute dermal toxicity : LD50 Dermal(Rabbit): > 8.500 mg/kg

##### Components:

##### **Propan-2-ol (CAS: 67-63-0):**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10000 ppm  
Exposure time: 6 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

##### **Propan-1-ol (CAS: 71-23-8):**

Acute oral toxicity : LD50 Oral (Rat): 8.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 33,8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 4.032 mg/kg  
Method: OECD Test Guideline 402

##### **tetradecanol (CAS: 112-72-1):**

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5.000 mg/kg

#### Skin corrosion/irritation

##### Components:

##### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : No skin irritation

##### **Propan-1-ol (CAS: 71-23-8):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **tetradecanol (CAS: 112-72-1):**

Method : OECD Test Guideline 404  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

### Serious eye damage/eye irritation

### Serious eye damage/eye irritation

#### Product:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Eye irritation  
GLP : yes

#### Components:

##### **Propan-2-ol (CAS: 67-63-0):**

Species : Rabbit  
Result : Eye irritation

##### **Propan-1-ol (CAS: 71-23-8):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irreversible effects on the eye

##### **tetradecanol (CAS: 112-72-1):**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritating to eyes.

### Respiratory or skin sensitisation

#### Components:

##### **Propan-2-ol (CAS: 67-63-0):**

Test Type : Buehler Test  
Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

##### **Propan-1-ol (CAS: 71-23-8):**

Test Type : Maximisation Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

##### **tetradecanol (CAS: 112-72-1):**

Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

#### Components:

##### **Propan-2-ol (CAS: 67-63-0):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

##### **Propan-1-ol (CAS: 71-23-8):**

Genotoxicity in vitro : Test Type: in vitro assay  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT - single exposure

No data available

### STOT - repeated exposure

No data available

### Repeated dose toxicity

No data available

### Aspiration toxicity

No data available

### Experience with human exposure

No data available

### Experience with human exposure

No data available

### Neurological effects

No data available

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Propan-2-ol (CAS: 67-63-0):**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.285 mg/l  
Exposure time: 48 h
- NOEC (Daphnia magna (Water flea)): 141 mg/l  
Exposure time: 16 d
- Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l  
Exposure time: 72 h

#### **Propan-1-ol (CAS: 71-23-8):**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.300 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC ( Chlorella pyrenoidosa (algae)): 1.150 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

EC50 ( Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

Toxicity to microorganisms : IC50 (Bacteria): > 1.000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **tetradecanol (CAS: 112-72-1):**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
Exposure time: 96 h  
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,2 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Scenedesmus capricornutum (fresh water algae)): > 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0016 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

### **Persistence and degradability**

#### **Product:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D

#### **Components:**

##### **Propan-2-ol (CAS: 67-63-0):**

Biodegradability : Result: rapidly biodegradable

##### **Propan-1-ol (CAS: 71-23-8):**

Biodegradability : Result: Readily biodegradable.

##### **tetradecanol (CAS: 112-72-1):**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **Bioaccumulative potential**

#### **Components:**

##### **Propan-2-ol (CAS: 67-63-0):**

Partition coefficient: n-octanol/water : log Pow: 0,05

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

### Propan-1-ol (CAS: 71-23-8):

Partition coefficient: n-octanol/water : log Pow: 0,25

### tetradecanol (CAS: 112-72-1):

Partition coefficient: n-octanol/water : log Pow: 5,5

### Mobility in soil

#### Components:

### Propan-2-ol (CAS: 67-63-0):

Distribution among environmental compartments : Remarks: Mobile in soils

### tetradecanol (CAS: 112-72-1):

Distribution among environmental compartments : Remarks: The product evaporates slowly.

Stability in soil : Remarks: Adsorbs on soil.

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.  
Store containers and offer for recycling of material when in accordance with the local regulations.

---

## 14. TRANSPORT INFORMATION

### ADR

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-2-ol, propan-1-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Hazard Identification Number : 30  
Tunnel restriction code : (D/E)  
Limited quantity (LQ) : 5,00 L  
Environmentally hazardous : no

### UNRTDG

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-2-ol)  
Class : 3  
Packing group : III

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

Labels : 3  
Environmentally hazardous : no

### IATA-DGR

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(propan-2-ol, propan-1-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(propan-2-ol, propan-1-ol)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Limited quantity (LQ) : 5,00 L  
Marine pollutant : no

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Other international regulations

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

---

## 16. OTHER INFORMATION

Revision Date : 17.02.2026  
Date format : yyyy/mm/dd


### Further information

# SAFETY DATA SHEET

according to the Globally Harmonized System

## Sterillium pure

### NFPA:



### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or

# **SAFETY DATA SHEET**

according to the Globally Harmonized System

## **Sterillium pure**

quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN