according to the Globally Harmonized System

## Sterillium Gel

Version Revision Date: SDS Number: Date of last issue: 24.08.2023 1.9 04.04.2024 R11952 Date of first issue: 15.04.2021

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Manufacturer or supplier's details

Manufacturer : BODE Chemie GmbH

Melanchthonstraße 27 22525 Hamburg (Germany) Tel.: +49 (0)40 / 54 00 60

Supplier

Responsible Department : Scientific Affairs

sds@bode-chemie.de

Emergency telephone number : Poison Center Göttingen

24h-Phone +49 (0)551 / 1 92 40

Recommended use of the chemical and restrictions on use

Recommended use : In-door use

Hand Sanitizer

Human hygiene biocidal products

For further information, refer to the product technical data sheet.

#### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable liquids : Category 2
Serious eye damage/eye irritation : Category 2A

**GHS** label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. P233 Keep container tightly closed.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

according to the Globally Harmonized System

## Sterillium Gel

P337 + P313 If eye irritation persists: Get medical advice/ attention. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 70 - < 90
tetradecanol	112-72-1	>= 0,1 - < 0,25

#### 4. FIRST AID MEASURES

General advice If you feel unwell, seek medical advice (show the label where possi-

ble).

In case of eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 10 minutes.

If swallowed Rinse mouth.

Do NOT induce vomiting.

Most important symptoms and

effects, both acute and delayed

Causes serious eye irritation.

Notes to physician For specialist advice physicians should contact the Poisons Infor-

mation Service.

## **5. FIREFIGHTING MEASURES**

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable extinguishing media none

Hazardous combustion products No hazardous combustion products are known

Specific extinguishing methods Use water spray to cool unopened containers.

Standard procedure for chemical fires.

Special protective equipment for

firefighters

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro-

cedures

Ensure adequate ventilation.

Should not be released into the environment. Environmental precautions

R11952 International 2/10

according to the Globally Harmonized System

## Sterillium Gel

Methods and materials for con-

tainment and cleaning up

Clean-up methods - large spillage

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Clean-up methods - small spillage

Wipe up with absorbent material (e.g. cloth, fleece).

#### 7. HANDLING AND STORAGE

Advice on protection against fire :

and explosion

Keep away from sources of ignition - No smoking. Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Take measures to prevent the build up of electrostatic charge.

Advice on safe handling : Avoid contact with eyes.

Conditions for safe storage : Store in original container.

Keep tightly closed.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex- posure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

## Personal protective equipment

Eye protection : Always wear eye protection when the potential for inadvertent eye

contact with the product cannot be excluded.

Safety glasses with side-shields conforming to EN166

Hygiene measures : Keep away from food and drink.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous

Colour : colourless

Odour : pleasant

pH : No data available

Melting point/range : not determined

Boiling point/boiling range : > 80 °C

Flash point : 17,1 °C

Method: ISO 3679

Flammability (solid, gas) : not auto-flammable

R11952 3 / 10 International

according to the Globally Harmonized System

## Sterillium Gel

Lower explosion limit / Lower

flammability limit

: Lower flammability limit

83 g/m3

Method: DIN 51649

Vapour pressure : No data available

Density : 0,826 g/cm3 (20 °C)

Solubility(ies)

Water solubility : partly miscible

Viscosity

Viscosity, dynamic : 4.000 - 8.000 mPa.s ( 20 °C)

Method: ISO 2555 Brookfield DVII+, RV5

#### 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : None reasonably foreseeable.

Conditions to avoid : Heat, flames and sparks.

Strong sunlight for prolonged periods.

Incompatible materials : None.

Hazardous decomposition prod-

ucts

No hazardous decomposition products are known.

## 11. TOXICOLOGICAL INFORMATION

## **Acute toxicity**

Not classified based on available information.

## **Components:**

Ethanol (CAS: 64-17-5):

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

tetradecanol (CAS: 112-72-1):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

R11952 4 / 10 International

according to the Globally Harmonized System

## Sterillium Gel

#### **Components:**

Ethanol (CAS: 64-17-5):

Species : human skin
Result : Mild skin irritation

Remarks : Based on available data, the classification criteria are not met.

tetradecanol (CAS: 112-72-1):

Method : OECD Test Guideline 404

Result : No skin irritation

#### Serious eye damage/eye irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

Ethanol (CAS: 64-17-5):

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

tetradecanol (CAS: 112-72-1):

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritating to eyes.

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

### **Components:**

Ethanol (CAS: 64-17-5):

Species : Mouse

Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.

tetradecanol (CAS: 112-72-1):

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

## STOT - single exposure

Not classified based on available information.

R11952 5 / 10 International

according to the Globally Harmonized System

## Sterillium Gel

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

No data available

#### **Aspiration toxicity**

Not classified based on available information.

## Experience with human exposure

No data available

#### **Experience with human exposure**

No data available

### **Neurological effects**

No data available

#### 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

## **Components:**

Ethanol (CAS: 64-17-5):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 9.268 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Chlorella vulgaris (Fresh water algae)): 9,6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

tetradecanol (CAS: 112-72-1):

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h Method: ISO 7346/2

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 3,2 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Scenedesmus capricornutum (fresh water algae)): > 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: 0,0016 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxici: :

ty)

R11952 6 / 10 International

according to the Globally Harmonized System

## Sterillium Gel

Persistence and degradability

**Components:** 

Ethanol (CAS: 64-17-5):

Biodegradability : Result: Readily biodegradable.

tetradecanol (CAS: 112-72-1):

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301B

**Bioaccumulative potential** 

**Components:** 

Ethanol (CAS: 64-17-5):

Partition coefficient: n-

octanol/water

log Pow: -0,35

tetradecanol (CAS: 112-72-1):

Partition coefficient: n-

octanol/water

log Pow: 5,5

Mobility in soil

Components:

tetradecanol (CAS: 112-72-1):

Distribution among environmen: :

tal compartments

Remarks: The product evaporates slowly.

Stability in soil : Remarks: Adsorbs on soil.

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Dispose of as hazardous waste in compliance with local and national

regulations.

Waste codes should be assigned by the user, preferably in discus-

sion with the waste disposal authorities.

Contaminated packaging : Empty remaining contents.

Store containers and offer for recycling of material when in accord-

ance with the local regulations.

#### 14. TRANSPORT INFORMATION

ADR

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3 Packing group : II

R11952 7 / 10 International

according to the Globally Harmonized System

## Sterillium Gel

Labels : 3
Hazard Identification Number : 33
Tunnel restriction code : (D/E)
Limited quantity (LQ) : 1,00 L
Environmentally hazardous : no

**UNRTDG** 

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo air- : 364

craft)

Packing instruction (passenger : 353

aircraft)

**IMDG-Code** 

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

 Class
 : 3

 Packing group
 : II

 Labels
 : 3

 EmS Code
 : F-E, S-D

 Limited quantity (LQ)
 : 1,00 L

 Marine pollutant
 : no

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **16. OTHER INFORMATION**

Revision Date : 04.04.2024

Date format : yyyy/mm/dd

## Safety datasheet sections which have been updated:


9. Physical and chemical properties

according to the Globally Harmonized System

## Sterillium Gel

#### **Further information**

#### NFPA:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or

according to the Globally Harmonized System

# Sterillium Gel

quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN